

INDEX

ATTACHMENT PLUG CAPS:

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A	Sec.	Fig.	C-UL
IH-115, SP-301B	5-15	16, 14, 12	13, 15, 15	1	28	Yes
SP-12, -12N	1-15	20, 18, 16	3, 10, 13	1	1	No
SP-12A	1-15	18, 16	10, 13	1	13	No
SP-13, -13N	1-15	18	10	1	26	Yes
SP-14, -14N	1-15	18, 16	10, 13	1	27	Yes
SP-15, -15P	1-15	18	10	1	3	No
SP-16	1-15	20, 18	3, 10	1	4	No
SP-16B	1-15	18	7	1	16	Yes
SP-17	1-15	20, 18	3, 10	1	4	No
SP-18, -18N	1-15	18, 16	10, 13	1	6	No
SP-19	1-15	18	10	1	-	YES
SP-20, -20N	1-15	18, 16	10, 13	1	8	No
SP-30, -30A	5-15	18	10	1	5	No
SP-77	5-15	18, 16	10, 13	1	-	Yes
SP-301, -301A	5-15	18, 16, 14	10, 13, 15	1	7	Yes
SP-303	5-15	18, 16, 14	10, 13, 15	1	9	No
SP-304	5-15	18, 16, 14	10, 13, 15	1	10	No
SP-305	5-15	18	10	1	11	Yes
SP-305A	5-15	18, 16	10, 13	1	11	Yes
SP-305B	5-15	18	10	1	--	Yes
SP-306	5-20	14	18	1	11	Yes
SP-306A	6-20	14, 12	18, 20	1	17	Yes
SP-307	5-20	14, 12	18, 20	1	18	Yes
SP-307A	6-20	14, 12	18, 20	1	19	Yes
SP-302	6-15	18, 16, 14	10, 13, 15	1	2	No
SP-30H	5-15	18, 16, 14	10, 13, 15	1	12	Yes
SP-308	5-15	18, 16, 14	10, 13, 15	1	20	Yes
SP-308A	5-15	18, 16, 14	10, 13, 15	1	24	Yes
SP-308C	5-15	14, 12	15, 15	1	-	Yes
SP-308D	5-15	18, 16, 14, 12	10, 13, 15, 15	1	-	Yes
SP-309	L5-20	14, 12	18, 20	1	14	Yes
SP-309A	L6-20	14, 12	18, 20	1	21	Yes
SP-310	L5-30	14, 12, 10	18, 25, 30	1	22	Yes
SP-310A	L6-30	14, 12, 10	18, 25, 30	1	23	Yes
SP-18H, SP-18HN	1-15	16, 14	13, 15	1	25	Yes
SP-L142	L14-20	12, 10	20, 20	1	32	Yes
SP-L143	L14-30	12, 10	25, 30	1	-	Yes
SP-306C	5-20	14, 12	18, 20	1	29	Yes
SP-306B	6-20	14, 12	18, 20	1	-	Yes
SP-71A	1-15	18, 16	10, 13	1	30	Yes
SP-74	1-15	18, 16	10, 13	1	31	Yes
SP-12D	1-15P	18	7	1	-	Yes

ATTACHMENT PLUG CAPS:**NEMA CONFIGURATION**

Cat. No.	Config.	Cord AWG	Electrical A	Sec.	Fig.	C-UL
SP-103	10-30	10/3	30	1	33	No
SP-105	10-50	10/3	30	1	34	No
SP-143	14-30	8/2 - 10/1	40	1	35	No
SP-145	14-50	8/2 - 10/2	40	1	36	No

NON STANDARD CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	C-UL
IS-011	C-14 Blade Shroud	18, 16, 14	10, 13, 15/125, 250	5	1	Yes
IS-011A	C-14 Blade Shroud	18, 16	10, 13/125, 250	5	1A	Yes
SW-011	C-14 Blade Shroud	16	13/250	5	2	Yes
IS-018	C-20 Blade Shroud	14, 12	15, 20/125,250	5	3	Yes

*

CORD CONNECTOR BODIES:

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A	Sec.	Fig.	C-UL
IS-013B, IS-013B (A.C.1) , IS-013C, IH-505, IH-505A	5-15	16, 14, 12	13, 15, 15	2	22	Yes
IS-012	1-15	16, 14	13, 15	2	6	No
IS-013, IS-013A	5-15 Special Use	18	10	2	7	Yes
IS-013	5-15	16, 14	13, 15	2	7	No
IS-023	5-20R	16, 14, 12	13, 18, 20	2	--	No
IS-L142	L14-20R	12, 10	20, 20	2	29	Yes
IS-L143	L14-30R	10	30	2	-	Yes
PT-013	5-15R	16, 14	13, 15	2	--	Yes
PT-905A	5-15	16, 14, 12	13, 15, 15	2	20	Yes
PT-907A, PT-907B, PT-907C	5-15R	14, 12	15, 15	2	--	No
PT-114	1-15R	16	13	2	23	Yes
IS-L52	L5-20R	14, 12	18, 20	2	24	Yes
IS-L53	L5-30R	12, 10	20, 30	2	-	Yes
IS-L63	L6-30R	12, 10	20, 30	2	-	Yes
IS-012L	1-15R	16	13	2	25	Yes
IS-013L	5-15R	16, 14, 12	13, 15, 15	2	26	Yes

Note: A.C.1 - Alternate Construction No. 1.

IEC/Non Standard Configuration

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	C-UL
IS-07	C-1	18	7/125	2	1	No
IS-08	C-7	18	7/125	2	2	No
IS-010	C-13	18	10/125	2	3	No
IS-020	C-17	18	10/125	2	--	Yes
IS-14, IS-14 (A.C.1)	C-13	18,16,14	10,13,15/125,250	2	3A	No
IS-14B	C-13	14,12	15,15/125 or 10,10/250	2	--	Yes
IS-14E	C-13	18,16	10,13/125,250	2	3A1	No
IS-15	C-13	18,16,14	10,13,15/125,250	2	5	Yes
IS-17	C-13	18,16	10,13/125,250	2	--	No
IS-19	C-15	18,16,14	10,13,15/125,250	2	18	No
IS-19L	C-15	18,16,14	10,13,15/125,250	2	19	No
IS-033	C-7	18	7,10/125	2	8	No
IS-033A	C-7	18	10	2	--	YES
IS-034	C-5	18	7,10/125	2	10	No
IS-039	C-5	18	7,10/125	2	11	No
IS-039A	C-5	18	7,10/125	2	--	No
IS-037	C-7	18	7,10/125	2	9	No
IS-037A	C-7	18	7, 10/125	2	--	No
IS-037L	C-7	18	7,10/125	2	16	No
IS-038	C-7	18	7,10/125	2	9	No
IS-038A	C-7	18	7,10/125	2	12	No
IS-14A	C-17	18,16,14	10,13,15/250	2	17	No
IS-16	C-19	16, 4,12	13,15,20/125,250	2	13	Yes
IS-16B	C-19	16,14,12	13,15,20/125,250	2	13	Yes
IS-036	C-7	18 16	7,10 7,10,13	2	21	Yes
IS-08A	C-7	18	7,10/125	2	28	Yes
IS-08B	C-7	18	7/125	2	--	Yes

Note: A.C.1 - Alternate Construction No. 1.

CURRENT TAPS:

Cat. No.	Config.	NEMA Configuration		Sec.	Fig.	C-UL
		Cord AWG	Electrical A/V			
SP-40	1-15	18	10	4	1	No
SP-R12A, SP-R12	1-15	18, 16	10, 13	4	--	Yes
SP-R30A, SP-R30	5-15	18, 16	10, 13	4	--	Yes
SP-R30S	5-15	18, 16, 14	10, 13, 15	4	--	Yes

UNLISTED COMPONENT, JOINT:

Cat. No.	Cord AWG	Y-Joint		Sec.	Fig.	C-UL
		Electrical A/V				
SY-01	(2) 18, (1) 16	10		6	1	No

APPLIANCE PLUGS:

Cat. No.	Cord AWG	Electrical Rating A/V	Section	Fig.
<u>IS-50</u>	<u>18/2C (HPN)</u>	<u>10/125 or 5/250</u>	<u>7</u>	<u>1</u>
	<u>16/2C (HPN)</u>	<u>15/125 V or 10/250</u>		
	<u>14/2C (HPN)</u>	<u>15/125 V or 10/250</u>		
<u>IS-51</u>	<u>18/2C (HPN)</u>	<u>10/125 or 5/250</u>	<u>7</u>	<u>2</u>
	<u>16/2C (HPN)</u>	<u>15/125 V or 10/250</u>		
	<u>14/2C (HPN)</u>	<u>15/125 V or 10/250</u>		